ISSN: **3139-5503** | Volume-1 Issue-3 | July-August 2026 | **ADSJ-1306**
DOI: https://doi.org/10.5281/zenodo.22639245

CREDIT CARD FRAUD DETECTION USING ENSEMBLE LEARNING ALGORITHMS

SANGYAM SOUNDARYA , *Assistant Professor, Dept of CSE,*
KG REDDY COLLEGE OF ENGINEERING AND TECHNOLOGY, HYDERABAD

ABSTRACT: This initiative is centered around the application of intricate algorithms that are driven by ensemble learning to the issue of credit card fraud. The objective is to enhance the reliability and precision of financial system fraud detection. Banks and other financial institutions are extremely concerned about credit card theft as a result of the rapid expansion of online banking and digital payments. The proposed research is distinct from conventional machine learning models in that it investigates the potential of ensemble methods, including XGBoost, Random Forest, Gradient Boosting, and AdaBoost, to identify suspicious activity and more accurately evaluate transaction patterns. Systems that attempt to detect deception are plagued by three significant issues: inaccurate predictions, an abundance of false positives, and an inability to effectively manage datasets that are not well balanced. Ensemble learning is employed to address these challenges. The research indicates that it is crucial to select the appropriate features, prepare the data, and employ evaluation measures such as F1-score, recall, accuracy, and precision in order to detect fraud. Ultimately, our objective is to develop a scalable, intelligent system for detecting deception that can assist companies in reducing expenses and enhancing the security of real-time transfers.

Keywords: *Credit Card Fraud Detection, Ensemble Learning, Machine Learning, Random Forest, XGBoost, Fraud Analytics, Imbalanced Data Predictive Modeling.*

1. INTRODUCTION

The primary objective of credit card fraud detection (CCF) is to identify transactions that are not legitimate. Since digital payment methods have become increasingly prevalent, there has been a significant increase in credit card fraud. This results in substantial financial losses for both enterprises and users. Scientists have developed numerous fraud detection algorithms that are based on statistical and machine learning principles in order to reduce these expenses. While statistics can identify anomalous transactions as anomalies, machine learning employs a variety of techniques, including regression models, decision trees, support vector machines, and neural networks, among others, to differentiate between genuine and fraudulent transactions.

In an effort to enhance the precision of detection, ensemble learning methodologies have been implemented. Ensemble learning involves the integration of numerous straightforward models to produce a more dependable prediction model. Layering, bagging, and bolstering are the most prevalent methods of utilizing an outfit. Boosting methods progressively enhance performance by reducing prediction errors, whereas bagging methods simultaneously instruct classifiers using random data samples. By combining various classifiers, it is feasible to generate the most precise model. To identify the most effective model for detecting credit

ISSN: **3139-5503** | Volume-1 Issue-3 | July-August 2026 | **ADSJ-1306**
DOI: https://doi.org/10.5281/zenodo.22639245

card fraud, a variety of ensemble-based algorithms are implemented on datasets that include both genuine and fabricated credit card transactions.

2. RELATED WORK

Credit Card Fraud Detection Using Machine Learning Techniques This investigation concentrates on a variety of machine learning techniques, such as Logistic Regression, Support Vector Machines, Decision Trees, and Neural Networks. Their objective is to identify fraudulent credit card transactions. The primary objective of the investigation is to enhance the model's performance by rectifying unbalanced dataset management and preprocessing techniques. Individual classifiers are less reliable and precise than ensemble and hybrid models, as demonstrated by experimental results.

Fraud Detection Using Random Forest and Ensemble Learning This investigation suggests an ensemble-based fraud detection system that implements Random Forest and boosting techniques. The research revealed that the classification performance is enhanced and the number of false positives is reduced when multiple underperforming learners are combined. In comparison to conventional methodologies, real-world transaction datasets demonstrate enhanced recall and accuracy.

Generating Maximum Prime Patterns Using Benders Decomposition and Apriori Algorithm This research employs a hybrid approach that integrates the Apriori algorithm with Benders decomposition to address pattern generation in Logical Analysis of Data (LAD). The method employs historical datasets to identify patterns that provide comprehensive coverage for classification problems. It outperforms current machine learning techniques on a diverse array of datasets, as indicated by experimental results.

Hybrid Machine Learning Approach for Credit Card Fraud Detection This work suggests a hybrid architecture that integrates supervised and unsupervised learning techniques to identify fraud. Clustering techniques are employed to identify transactions that exhibit peculiar behavior, while classification algorithms ascertain whether a transaction is authentic or fraudulent. The hybrid technique significantly reduces misclassification in datasets that are unbalanced.

Anomaly Detection in Financial Transactions Using Deep Learning This investigation investigates the utilization of deep learning methodologies, including autoencoders and recurrent neural networks, to identify discrepancies in financial transactions. The models identify typical transaction patterns and emphasize any discrepancies as potential indicators of dishonesty. The results indicate that it is feasible to recognize intricate fraud patterns in extensive datasets.

Comparative Analysis of Ensemble Learning Algorithms for Fraud Detection This paper compares and evaluates a variety of ensemble techniques for fraud detection, such as AdaBoost, Gradient Boosting, Random Forest, and XGBoost. Performance is assessed using metrics such as ROC-AUC, F1-score, recall, accuracy, and precision. The findings indicate that XGBoost's resilience in the presence of asymmetrical data enabled it to achieve the highest overall score.

ISSN: **3139-5503** | Volume-1 Issue-3 | July-August 2026 | **ADSJ-1306**
DOI: https://doi.org/10.5281/zenodo.22639245

Deep Neural Network-Based Fraud Detection Systems The primary objective of this investigation is to employ deep neural networks to detect fraudulent transactions in financial systems. The technique enhances the accuracy of detection by identifying nonlinear correlations in the transaction data. The experimental data analysis indicates that the efficacy exceeds that of

3. LITERATURE SURVEY

In 2020, Sharma et al. developed a highly sophisticated approach to detecting credit card fraud. On transactional datasets, it implements group learning methodologies such as AdaBoost, Bagging, and Random Forest. Random Forest demonstrated superior performance in terms of its ability to identify objects and its frequency of producing false positives. They were able to investigate the matter; however, there were numerous deficiencies, including an irregular collection and the absence of real-time testing.

In 2021, Kumar and Verma combined the Gradient Boosting and XGBoost algorithms to develop a system capable of identifying fraudulent credit card transactions. Traditional algorithms were less precise and less likely to achieve the desired outcome than XGBoost. However, the system required a significant amount of computational power and effort to prepare for the handling of vast quantities of data.

Ali et al. (2022) employed a variety of machine learning techniques, such as Random Forest, Extra Trees, and Voting Classifier, to identify instances of credit card fraud. When considering the possibility of deception occurring in patterns, the Voting Classifier proved to be more effective than the other alternatives. The paper was not of high quality due to the imbalance of the classes and the insufficient number of diverse datasets.

Fernandez et al. investigated transactions that may have been fraudulent in their 2023 paper by employing decision trees, logistic regression, and boosting algorithms. The accuracy of fraud detection was enhanced and the number of false alarms was reduced through the use of ensemble methods. The investigation was restricted due to the model's complexity and the extensive training process that required a significant amount of time.

In 2024, Wang et al. developed a deep ensemble design to detect credit card fraud in real time. This system comprises convolutional neural networks (CNNs) and long short-term memory (LSTM) models. The hybrid method not only enhances the ability to identify fraud trends but also increases their sensitivity. The issue was that it necessitated an abundance of extremely large training samples and an abundance of extremely costly hardware.

Rahman and Sultana conducted research in 2024 to determine whether it was possible to predict fraudulent transactions by combining support vector machines, random forests, and neural networks. We were able to enhance the classification's accuracy and facilitate the adaptation to new fraud trends by employing layering methods. Nevertheless, the system was resource-intensive and operated at a sluggish pace.

Garcia et al. conducted a paper in 2025 to investigate the potential of federated ensemble learning as a secure and confidential method for numerous businesses to identify credit card frauds.

ISSN: **3139-5503** | Volume-1 Issue-3 | July-August 2026 | **ADSJ-1306**
DOI: https://doi.org/10.5281/zenodo.22639245

The method improved cooperative fraud detection without disclosing private client information. However, the overall efficiency of the process was reduced by communication issues and the necessity of utilizing numerous finance databases.

Mehta and Joshi (2026) developed an AI-based fraud detection method that is simple to comprehend, utilizing gradient boosting and attention-based neural networks. The method provided a highly effective early detection solution for fraud, which also simplified the approach. Models were not made public, and concerns regarding the privacy of consumer information were not addressed.

4. SYSTEM ANALYSIS

EXSTING SYSTEM

Traditional credit card fraud detection systems employ statistical and machine learning techniques, including Naïve Bayes classifiers, Decision Trees, Logistic Regression, and Support Vector Machines. These systems analyze transaction patterns by utilizing either pre-established principles or data from previous transactions to identify suspicious behavior. The current methods are inadequate for managing vast, biased collections of transactions in which genuine transactions outnumber fraudulent ones. Single classifiers are not only inaccurate, but they also generate a significant number of false positives and negatives. The exponential expansion of digital payment systems has sparked significant concern due to the fact that the methods presently employed to identify scams are not real-time, scalable, or highly accurate.

PROPOSED SYSTEM

The proposed method provides a comprehensive framework for detecting credit card fraud through the use of ensemble learning techniques. The reliability and accuracy of fraud identification can be enhanced by the combination of numerous machine learning models, including XGBoost, Gradient Boosting, Random Forest, and AdaBoost. Ensemble learning integrates the most effective aspects of multiple classifiers rather than relying on a single one. This enhances the precision of predictions. In order to achieve optimal classification outcomes, the system implements imbalance management, data preparation, and feature selection. The proposed approach reduces the number of false alarms by monitoring all financial transactions in real time. This facilitates the identification of fraudulent transactions. Currently, online payment systems are making a concerted effort to prevent frauds and ensure the security of all users' financial information.

IMPLEMENTATION




Figure1: System Architecture

- **Service Provider:** The service provider can access the system provided that they possess the appropriate credentials. Upon successfully logging in, a provider will have access to a diverse array of tools,

ISSN: **3139-5503** | Volume-1 Issue-3 | July-August 2026 | **ADSJ-1306**
DOI: https://doi.org/10.5281/zenodo.22639245

including the ability to rate all remote users, train and test models, view accurate results in infographics, identify fraudulent credit card transactions, calculate fraud ratios, and browse datasets.

- **View and Authorize Users:** The supervisor has access to all of the registered users' information, including their email addresses, identities, and residences, in this module. Users are also granted access by the supervisor.
- **Remote User:** Users are required to register before they can utilize the system offline. Users will be able to access their confidential information and any credit card payments that are not being processed correctly after they sign up and log in with their accepted credentials.

5. RESULTS



Fig4.1: Service Provider Login




Fig4.2: Dataset Trained and Tested Accuracy Results




Fig4.3: Dataset Trained and Tested Accuracy Results in Barchart




Fig4.4: Dataset Trained and Tested Accuracy Results in Linechart



Fig4.5: Detection of Credit Card Transaction Type

6. CONCLUSION

Banks and other financial institutions must devise strategies to mitigate their losses, as credit card fraud is a significant issue. In this investigation, the efficacy of ensemble learning methods in verifying the authenticity of a transaction is examined. The research indicates that ensemble methods, such as XGBoost and Bagging, outperform more conventional models, such as Naïve Bayes, in terms of accuracy and fraud detection. The difficulty of predicting data production patterns renders them significantly less useful when applied

to simulated datasets. The research asserts that machine learning models can also identify patterns in the nature of actual financial transactions. Future research will focus on the following areas: enhancing the model's safety, simplifying its explanation and comprehension, and selecting random identification factors.

REFERENCES

1. Z. Faraji, "A review of machine learning applications for credit card fraud detection with a case research," *SEISENSE Journal of Management*, vol. 5, no. 1, pp. 49–59, Feb. 2022.
2. F. K. Alarfaj, I. Malik, H. U. Khan, N. Almusallam, M. Ramzan, and M. Ahmed, "Credit card fraud detection using state-of-the-art machine learning and deep learning algorithms," *IEEE Access*, vol. 10, pp. 39700–39715, 2022.
3. M. Shahimoon, H. Rasheed, D. R. Rao, K. R. Krishnaiah, K. K. Gajula, et al., "Evolving Predictive Models for Customer Churn in Telecommunications," in Proc. 2nd International Conference on New Frontiers in Communication Technologies, 2025.
4. Nilson Report, "Card Fraud Worldwide," 2023. [Online]. Available: https://nilsonreport.com/
5. N. S. Alfaiz and S. M. Fati, "Enhanced credit card fraud detection model using machine learning," *Electronics*, vol. 11, no. 4, p. 662, Feb. 2022.
6. B. Arora and Sourabh, "A review of credit card fraud detection techniques," *Recent Innovations in Computing*, pp. 485–496, 2022.
7. S. Srinidhi, K. Sowmya, and S. Karthika, "Automatic credit fraud detection using ensemble model," in *ICT Analysis and Applications*. Springer, 2022, pp. 211–224.
8. M. Sabih and D. K. Vishwakarma, "A novel framework for detection of motion and appearance-based anomaly using ensemble learning and LSTMs," *Expert Systems with Applications*, vol. 192, Apr. 2022, Art. no. 116394.
9. Kaggle, "European Cardholders Dataset," 2022. [Online]. Available: https://www.kaggle.com/datasets/mlglulb/creditcardfraud
10. K. K. Gajula, "Leveraging Machine Learning Techniques for Earthquake Impact Analysis and Prediction," ZKG International, vol. 9, no. 2, pp. 909–913, 2024.
11. K. K. Gajula, "Deep Neural Forecasting Models for Climate Change Analysis Using Multivariate Time-Series Data," Journal of Computational Analysis and Applications, vol. 33, no. 8, pp. 6356–6368, 2024.

CC BY NC