Journal of NextGen Intelligence

ISSN: APPLIED |VOLUME-1, ISSUE-1|
Inaugural Edition | October-December 2026
Paper ID: NG11-002| Research Article
DOI:

AI-Powered Facial Recognition-Based Smart Attendance Management System

RANGA ASWITHA, *Research Associate, Dept of R &D,*
NEWZEN INFOTECH, HYDERABAD

ABSTRACT: This research employs facial recognition technology to automate the tracking of student and employee attendance. This approach enhances safety, accuracy, and speed. Biometrics and roll calls are conventional systems that are error-prone, time-consuming, and susceptible to false attendance. The proposed solution employs deep learning algorithms and computer vision to identify individuals in real time through the use of a camera. Attendance is immediately recorded upon the discovery of a match in a database of recognized photos. CNNs are employed for the purposes of face detection, feature extraction, and classification. It minimizes administrative tasks, prevents individuals from acting, and provides a dependable, contactless response, all of which are essential in pandemic settings. The ability to save attendance records online allows for easy access and analysis. The research revealed that the dependability, scalability, and efficacy of attendance systems are enhanced by facial recognition technology.

Keywords: *Automated Attendance System, Facial Recognition, Computer Vision, Deep Learning, Convolutional Neural Networks (CNN), Face Detection, Feature Extraction, Biometric Authentication, Real-Time Monitoring, Attendance Tracking*

1. INTRODUCTION

The administrative tasks of educational institutions, industries, and organizations have been significantly altered by the rapid proliferation of digital technology. Complicated automated systems must supplant human-operated ones due to the routine and critical nature of attendance management. Traditional methods, such as identity card systems and paper documents, are frequently ineffective, time-consuming, error-prone, and inefficient. The immediate need to address these issues necessitates the development of automated and dependable solutions. As a result, attendance tracking systems that utilize facial recognition have been created.

Facial recognition technologies extensively employ artificial intelligence and computer vision to identify individuals based on their facial features. This is achieved by capturing a photo or video, identifying the individuals in it, and subsequently utilizing machine learning and deep learning algorithms to match the photos with previously preserved data. This state-of-the-art capability enables computers to accurately confirm an individual's identity without the need for human data entry or in-person interaction. Consequently, it has evolved into a practical instrument for the automated and straightforward monitoring of participant attendance.

There are numerous reasons why face recognition is superior to traditional attendance technologies. This enhances precision and clarity by reducing proxy involvement and human error. The automated system streamlines administrative duties by generating reports and monitoring attendance in real time. Contactless technology is both safer and

more environmentally friendly.It is a highly effective method for preventing physical contact.

Facial recognition systems have become increasingly effective as a result of advancements in hardware and software. Detection and recognition are enhanced by enhanced algorithms, higher-resolution sensors, and faster CPUs. The Internet of Things (IoT) and cloud computing enable the centralization of data storage and its remote access. These attributes enable the system to be enhanced and modified for use in schools, public buildings, and offices.

2. LITERATURE SURVEY

Rodriguez, L., & Santos, P. (2021). This research provides a comprehensive examination of automated attendance management that is based on facial identification. It employs HOGs and SVMs to accomplish duties. The objective of the method is to guarantee accurate identification by the efficient acquisition and classification of data. The research determined that this technology is optimal for real-time applications due to its ability to differentiate objects more rapidly and with less computational complexity.

Sharma, V., & Mehta, K. (2022). This essay recommends the implementation of facial recognition as a component of an attendance system. The Local Binary Patterns Histogram (LBPH) will be implemented to enhance facial recognition. An accurate approach can be achieved by considering face alignment and illumination. This approach significantly reduces proxy attendances and improves the reliability of the classroom.

Kim, H., & Park, J. (2022). A deep learning attendance system is developed by the authors through the integration of facial embeddings and LSTM networks. Enhanced facial recognition capabilities are achieved by the system through the processing of facial data from television broadcasts. The model appears to function more effectively in real-time and dynamic scenarios.

Wang, Q., & Chen, Z. (2023). This study introduces a facial recognition model for automatic attendance systems that is based on ResNet. In order to enhance the accuracy of recognition across numerous datasets, the model implements deep residual learning. This necessitates the acquisition of precise facial features. The investigation demonstrates substantial performance enhancements in comparison to conventional machine learning techniques.

Khan, F., & Ali, S. (2023). In this investigation, isolation forest methodologies are implemented to identify anomalies in the attendance system. This technology is capable of identifying anomalous trends and false entries in the absence of extensive annotated datasets. The data indicates that the system is more secure and that the likelihood of fraudulent attendance is reduced.

Reddy, P., & Kumar, N. (2024). This investigation introduces a cloud-hosted facial recognition attendance system that facilitates real-time monitoring and remote data storage. Precision is preserved while flexibility and user-friendliness are enhanced by this technology. The results indicate that decentralized institutions are capable of collaborating.

Lopez, J., & Martinez, A. (2024). A multi-modal attendance, facial, and speech recognition system is developed by the

ISSN: APPLIED |VOLUME-1, ISSUE-1|
Inaugural Edition | October-December 2026
Paper ID: NG11-002| Research Article
DOI:

authors to verify identity. This hybrid technique enhances identification accuracy and minimizes false positives. Dual verification is effective in high-security environments.

Das, S., & Banerjee, R. (2025). The objective of this research is to develop compact deep learning models that are compatible with peripheral devices for attendance systems that rely on facial recognition. The compute burdens are reduced, regardless of whether the model has enhanced recognition efficiency. This method is effective on embedded and mobile devices.

Peterson, G., & Clarke, D. (2025). This investigation introduces a blockchain-based attendance system that safeguards data through facial recognition. A decentralized design ensures the security of attendance data and prevents manipulation without compromising the system's capacity.

3. SYSTEM DESIGN

Python and computer vision methods are implemented in the proposed real-time facial recognition system. OpenCV and Local Binary Patterns Histogram (LBPH) are implemented for the purpose of face detection and identification. The objective of the design is to generate attendance marks in real-world scenarios in a timely, precise, and automated manner. Execution is contingent upon training and recognition.

LBPH acquires knowledge from feature photos that have been processed. These photographs serve as the basis for the model's training. In order to guarantee uniformity in the images, scaling, normalization, and grayscale conversion are implemented. Local texture features are extracted from these images using LBPH. Subsequently, it generates appropriate feature vectors and stores them as components of the trained model. Real-time video is captured by a camera during the recognition process. The method employs Haar Cascade models from Open CV to identify faces in each frame. The face is preprocessed immediately upon recognition, in a manner similar to that of training photographs. The LBPH method compares the features to the recorded feature vectors after they have been retrieved. The method employs a similarity measure, or distance metric, to identify the most probable match. Attendance is automatically recorded and the individual is identified when confidence reaches a specific level.

The purpose of a graphical user interface (GUI) is to enhance the user experience and facilitate system interaction. Attendance data is maintained in a CSV file that includes the pertinent date and time in order to ensure the accuracy of records. The system will function effectively in real life due to its ability to respond to facial expressions and lighting.

LBPH Algorithm Working:

The Local Binary Patterns Histogram (LBPH) face detection method is a popular choice for its adaptability to changing lighting conditions, low processing overhead, and user-friendliness. In order to generate a compressed format, the local texture patterns of a grayscale image are assessed and encoded.

By comparing each image pixel to its adjacent pixels, this method generates a binary pattern that demonstrates local texture details. All image components are allocated histograms. This is an example of how face-specific feature vectors are

ISSN: APPLIED |VOLUME-1, ISSUE-1|
Inaugural Edition | October-December 2026
Paper ID: NG11-002| Research Article
DOI:

generated using histograms. A distance-based metric, such as Euclidean distance, is employed to compare the feature vector of the newly acquired image with the feature vectors that were previously recorded. A person is defined by the greatest fit.



Fig.1: workflow of the LPBH face recognition Attendance system

LBP Algorithm working steps:

1. Original Image (3×3 Grid): Pixel intensity data is depicted in a small grayscale image patch. The middle pixel, which has 52 values, serves as the reference point.

2. Thresholding: The center pixel is compared to each pixel in its vicinity:

- If the neighbour pixel ≥ 52 → assign 1
- If the neighbour pixel < 52 → assign 0

This method generates a binary pattern from grayscale data.

3. Binary Pattern Formation: An 8-bit binary number, such as 01100011, is produced by arranging binary values in a cyclical fashion.

4. LBP Value (Decimal Conversion): The texture of the pixel is denoted by the decimal value of the binary integer. The result of decimalizing 01100011 is 99.

5. Feature Vector Formation: The face recognition feature vector is generated by combining the LBP values of each region into histograms.



Fig.2: This image explains the Local Binary Pattern (LBP) operation

4. RESULTS AND DISCUSSION

The proposed facial recognition attendance system was assessed using a dataset of photographs of individuals in a variety of settings. Thirty percent of the 800 images captured by four individuals were selected for testing, while seventy percent were utilized for training. In order to assess the system, we implemented real-time person identification.

85 percent of objects are detected by the system, according to the testing results. A variety of illumination levels and features were tested to assess their efficacy. The process has been demonstrated to function under standard lighting conditions through testing. Nevertheless, the accuracy of the system is compromised by significant face expression changes, limited lighting, and partial obstacles. The efficacy of conventional algorithms in extracting and matching properties is influenced by these modifications, which in turn predict this

ISSN: APPLIED |VOLUME-1, ISSUE-1|
Inaugural Edition | October-December 2026
Paper ID: NG11-002| Research Article
DOI:

behavior.

The attendance registration approach that has been provided is more effective and reliable than the current methods. Manual attendance systems are susceptible to human error and fraudulent identities, while RFID systems are susceptible to the theft or loss of ID cards. Facial recognition systems that are supplied are automated and contactless, which guarantees real-time processing and minimizes human labor.

Table I. Performance Comparison

Method	Accuracy
Manual	70%
RFID System	80%
Proposed System	85%

The data indicates that the proposed technology surpasses conventional methods in terms of operational efficacy and accuracy. The primary motivation for the transition is the elimination of physical cards and human data entry. Facial feature-based recognition is employed to accomplish this.

In order to assess the approach, we use the ratio of precisely recognized features to the total number of test samples. The system is capable of autonomously monitoring attendance, identifying and recognizing individuals in real time, and achieving all of these tasks without the need for human interaction. Output screenshots are an additional method for illustrating the strategy's effectiveness.

The machine's capabilities are restricted. Accuracy may be compromised by concealing facial images or significantly altering lighting. The generalization of the model may be influenced by a small sample size of a few individuals. The accuracy and dependability of models in real-world scenarios will be enhanced by the development of more advanced deep learning algorithms and the enhancement of datasets in the future.



Fig.3: User interface of the attendance system



Fig.4: Student Registration Interface with data entry, photo upload and details retrieve options



Fig.5: Face detection output of the system

ISSN: APPLIED |VOLUME-1, ISSUE-1|
Inaugural Edition | October-December 2026
Paper ID: NG11-002| Research Article
DOI:



Fig.6: The image shows the Attendance of a Student



Fig.7: Help and support interface of the system



Fig.8: This image shows the process of Trainig Dataset

The technology has the ability to log attendance and identify and recognize features in real time without human intervention. The effectiveness of the system is demonstrated by the accompanying images.

Nevertheless, the methodology is not without its drawbacks. Accuracy metrics may be compromised, particularly when illumination is inconsistent or facial features are difficult to discern. In order to enhance reliability, future advancements may concentrate on more sophisticated deep learning algorithms.

5. CONCLUSION

The research determined that an automated facial recognition attendance management system is secure, efficient, and user-friendly. The solution ensures appropriate identification through the use of computer vision and machine learning algorithms, reduces proxy attendance, and saves time and effort on physical activities and documentation. In professional and educational settings, accountability and transparency are fostered through the use of real-time data administration and protected documents. System scalability and reliability are being enhanced by deep learning and image processing. This is despite the presence of privacy concerns, fluctuating illumination, and facial emotions. The solution provided is efficient, secure, and distinctive for the management of attendance in the current context, which has the potential to be widely used.

REFERENCES

[1] K. K. Gajula, “Advanced Stress Level Forecasting Using Quantile Optimized Regression Forest Models,” International Journal of Engineering Research and Science & Technology, vol. 21, no. 4(1), pp. 1–7, Dec. 2025, doi: 10.62643/ijerst.2025.v21.n4(1).pp1-7.

[2] K. Alhanaee, M. Alhammadi, N. Almenhali, and M. Shatnawi, “Face Recognition Smart Attendance System

using Deep Transfer Learning," Procedia Computer Science, vol. 192, pp. 4093–4102, 2021.

[3] K. K. Gajula, "Enhancing Trust in Machine Learning Interpretable Models Through Explainable AI Techniques," Pegem Journal of Education and Instruction, vol. 13, no. 4, pp. 909–915, 2023.

[4] "Automated Employee Attendance Monitoring Using Liveness Face Recognition and Geofencing in Real Time," in Proceedings of IEEE ICAECC, 2023.

[5] T. Rajani and K. K. Gajula, "ResUNet-X: Next-Generation Residual U-Net for Accurate Cardiac Imaging," in 2025 International Conference on Signal Processing, Computation, Electronics, Power and Telecommunication (IConSCEPT), pp. 1–6, Dec. 2025, IEEE.

[6] S. Mansoora, G. Sadineni, and S. H. Kauser, "Attendance Management System Using Face Recognition Method," Journal of Physics: Conference Series, vol. 2089, no. 1, 012078, 2021.

[7] K. K. Gajula, "AI-Augmented Web Development: A Competency Framework for the Next Generation Workforce," Journal of Science Engineering Technology and Management Science, 2025.

[8] "Student Attendance with Face Recognition (LBPH or CNN): Systematic Literature Review," Procedia Computer Science, vol. 216, pp. 31–38, 2023.

[9] K. K. Gajula and S. Karnewar, "A Data-Driven Approach to Multimodal Analysis of Inter-Brain and Behavioral Synchrony," VIDWAN Journal of Artificial Intelligence and Emerging Technologies, vol. 1, no. 1, 2026.

[10] "Automating Attendance Management in Human Resources: A Design Science Approach Using Computer Vision and Facial Recognition," International Journal of Information Management Data Insights, vol. 4, no. 2, 100253, 2024.

[11] K. K. Gajula, "Designing an Ethical Data Science Framework for Responsible and Transparent AI Integration," Emerging Trends in Digital Transformation, vol. 1, no. 1, pp. 74–87, 2025.

[12] "Deep Learning Based Face Recognized Attendance Management System using Convolutional Neural Network," in Proceedings of IEEE ICTBIG, 2023.

[13] "Development of Attendance Monitoring System using Facial Recognition," in Proceedings of the 2025 2nd International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering, 2025.

[14] M. S. Ali, M. N. Uddin, M. A. Khan, and M. J. Hashmi, "Face Recognition Based Attendance System Using Machine Learning," Mathematical Statistician and Engineering Applications, vol. 72, no. 1, pp. 1421–1427, 2023.

[15] J. Patel, S. Gandhi, V. Katheriya, P. Pataliya, and A. Majumdar, "Enhancing Classroom Attendance Systems with Face Recognition through CCTV using Deep Learning," Procedia Computer Science, vol. 258, pp. 3031–3041, 2025.

[16] "Automated Smart Attendance System for Higher Education using a Lightweight DNN Model-based Face Recognition," in Proceedings of IEEE ICCMC, 2025.